

Digital Thermometers and Hygrometers

Digital Thermometers

- Distinctive Taylor Design
- Indoor Operating Range: 23° to 122°F or -5° to 50°C
- Outdoor Operating Range: -58° to 158°F or -50° to 70°C
- 10' Outdoor Cable With Waterproof Probe
- Min/Max Recall
- Wall or Desktop Mount



1424 Jumbo Indoor/Outdoor Thermometer

- Easy-to-Read 1.2" Numbers
- Simultaneous Indoor/Outdoor Temp Display
- 1 AAA Alkaline Battery Included



1425 Jumbo Indoor/Outdoor Thermometer With Humidity

- Easy-to-Read 1.2" Numbers
- Detachable Probe Cord
- Displays Indoor or Outdoor Temp and Indoor Humidity
- 1 AAA Alkaline Battery Included

Wireless Multizone Thermometers

- Wireless Technology for Installation Anywhere
- Reads Up To 3 Remote Units Plus Base Unit (4 total)
- Up To 100' Perimeter Span
- Temperature (and Humidity on 1428) Alarm
- Temperature (and Humidity on 1428) Trend Line
- High and Low Recall for All Zones
- F/C Switchable
- Range of -4° to 140°F or -20° to 50°C
- Base Unit Requires 2 AA Batteries
- Remote Sensor Requires 2 AAA Batteries



1426 Wireless Multizone Thermometer

- Includes Base Unit and One Remote Temperature Sensor (#1427)



1427 Remote Temperature Sensor



1428 Jumbo Wireless Multizone Thermometer and Hygrometer

- Includes Base Unit and One Remote Sensor (#1429)
- RH Range of 25-95%



1429 Remote Temperature and Humidity Sensor



1430 Remote Temperature Sensor with Waterproof Cable

Timers



5810 Mechanical Timer

- One Hour
- Long Ring Bell Alarm



5801 Digital Timer

- Twenty Hours
- Easy-to-Read Digital Display
- Desk Stand and Magnetic Mount
- Loud Audio Alarm
- Displays in Hours and Minutes
- 1 AAA Battery Included



5802 Big Digit Timer

- Twenty Hours
- Extra-Large Digital Display
- Desk Stand and Magnetic Mount
- Loud Audio Alarm
- Displays in Hours and Minutes
- 1 AAA Battery Included

Precision Performance Since 1851

At Taylor, superior quality and workmanship is more than an objective, it's a promise. Since 1851, Taylor has crafted precision measurement instruments with unmatched accuracy and readability for optimal performance. It's no wonder we are the professionals choice for measurement products.

New Indoor/Outdoor Digital Models

- Model 1420 - Indoor / Outdoor Thermometer
- Model 1421 - Indoor / Outdoor Thermometer
- Model 1422 - Indoor / Outdoor Thermometer w/ Humidity
- Model 1424 - Indoor / Outdoor Thermometer
- Model 1425 - Indoor / Outdoor Thermometer w/ Humidity
- Model 1419 - Wireless Indoor / Outdoor Thermometer w/ Remote Sensor
- Model 1426 - Wireless Indoor / Outdoor Thermometer w/ Remote Sensor
- Model 1427 - Wireless Remote Sensor for 1419 or 1426
- Model 1430 - Wireless Remote Sensor with Waterproof Cable for 1419 or 1426

Packaging Specifications-subject to change prior to production

● **Retail Box Dimensions and Weight:**

- Model 1420** - 6 1/4" x 8 5/8" x 2 1/4", 5 oz.
- Models - 1421 & 1422** - 6 3/8" x 10 7/16" x 2 5/16", 7 oz.
- Models - 1424 & 1425** - 6 7/8" x 9 1/4" x 2 1/2", 8 oz.
- Model 1419** - 8 9/16" x 8 3/8" x 3", 8 oz.
- Model 1426** - 9 7/8" x 9 3/16" x 2 3/4", 11 oz.
- Model 1427** - 3" x 5 1/2" x 1 3/4", 4 oz.
- Model 1430** - 3" x 5 1/2" x 1 3/4", 4 oz.

● **Retail Box UPC:**

- | | |
|-------------------------------------|-----------------------------------|
| Model 1420 0 77784 01420 2 | Model 1419 0 77784 01419 6 |
| Model 1421 0 77784 01421 9 | Model 1426 0 77784 01426 4 |
| Model 1422 0 77784 01422 6 | Model 1427 0 77784 01427 1 |
| Model 1424 - 0 77784 01424 0 | Model 1430 0 77784 01430 1 |
| Model 1425 0 77784 01425 7 | |

● **Master Pack Quantity:** 3 Each

● **Master Pack Dimensions, Weight, & Cube:**

- Model 1420** - 6 5/8" x 5 1/4" x 9 1/4", 1 lb. 4 oz., .19 Cu Ft.
- Models 1421 & 1422** - 6 3/4" x 5" x 11 1/16", 1 lb. 11 oz., .22 Cu. Ft.
- Models 1424 & 1425** - 7 3/16" x 5 3/8" x 9 7/8", 1 lb. 14 oz., .22 Cu. Ft.
- Model 1419** - 8 15/16 x 6 11/16 x 8 7/8", 2 lbs., .31 Cu. Ft.
- Model 1426** - 10 5/16" x 5 9/16" x 9 13/16", 2 lbs. 9 oz., .33 Cu. Ft.
- Model 1427** - 6" x 6" x 3 5/8", 15 oz., .08 Cu. Ft.
- Model 1430** - 6" x 6" x 3 5/8", 15 oz., .08 Cu. Ft.

● **Master I2 of 5 Code:**

- | | |
|-------------------------------------|-------------------------------------|
| Model 1420 100 77784 01420 9 | Model 1419 100 77784 01419 3 |
| Model 1421 100 77784 01421 6 | Model 1426 100 77784 01426 1 |
| Model 1422 100 77784 01422 3 | Model 1427 100 77784 01427 8 |
| Model 1424 100 77784 01424 7 | Model 1430 100 77784 01430 8 |
| Model 1425 100 77784 01425 4 | |

Digital Indoor/Outdoor Thermometers

9 New updated designs, lower selling prices, and distinct good, better, best categories !



1420



1421



1422



1424



1425



1419



1426



1427



1430

Indoor / Outdoor Digital Thermometer Specifications:

	LCD Size	LCD Display	Min/Max Temp. Memory	Outdoor Temp. Range	Indoor Temp. Range	Resolution	Humidity Gauge	Battery	C-F Switch	Probe	Mounting	Warranty
1420	.4"	Dual	x	-58/158°F	32/122°F	.2°F	n/a	1 AAA Included	x	10' Attached	Wall/Desk	5 Year
1421	.5"	Dual	x	-58/158°F	23/122°F	.1°F	n/a	1 AAA Included	x	10' Attached	Wall/Desk	5 Year
1422	.5"	Dual	x	-58/158°F	32/122°F	2°F indoor .2°F outdoor	25-95%	2 AA Included	x	10' Attached	Wall	5 Year
1424	1.2"	Dual	x	-58/158°F	23/122°F	.1°F	n/a	1 AAA Included	x	10' Attached	Wall/Desk	5 Year
1425	1.2"	Dual	x	-58/158°F	32/122°F	2°F	25-95%	1 AAA Included	x	10' Detachable	Wall/Desk	5 Year
1419	.6"	Dual	x	-4/140°F	23/122°F	.2°F	n/a	2 AA & 2 AAA not included	x	n/a	Wall/Desk	5 Year
1426	1.2"	Dual	w/ Hi/Lo Alarm	-4/140°F	23/122°F	.2°F	n/a	2 AA & 2 AAA not Included	x	n/a	Wall/Desk	5 Year
1427	.4"	Single	n/a	-4/140°F	-4/140°F	.2°F	n/a	2 AAA not Included	x	n/a	Wall/Desk	5 Year
1430	.4"	Single	n/a	-4/140°F	-4/140°F	.2°F	n/a	2 AAA not Included	x	10' Attached	Wall/Desk	5 Year